	Application No.	Applicant(s)	
	10/026,316	CRAWFORD ET A	L. `_
Notice of Allowability	Examiner	Art Unit	
	Timothy L Maust	3751	
The MAILING DATE of this communication at AII claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1.	ெS (OR REMAINS) CLOSED in 85) or other appropriate commu F RIGHTS. This application is s	ithis application. If not including this application will be mailed in due	e course. <b>THIS</b>
1. $oxed{oxed}$ This communication is responsive to <u>a telephone inten</u>	<u>riew with Donald M. Cislo</u> .		
2. ☑ The allowed claim(s) is/are <u>1-23 and 25-53</u> .			
3. $igotimes$ The drawings filed on <u>20 December 2001</u> are accepted	by the Examiner.		
4. Acknowledgment is made of a claim for foreign priorit  a) All b) Some* c) None of the:  1. Certified copies of the priority documents to the priority documents to the priority documents to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be so INFORMAL PATENT APPLICATION (PTO-152) which to the priority of the priority and including changes required by the Notice of Drafts to the priority of the priority and the priority of the priority and the priority documents and the priorit	nave been received.  nave been received in Application  y documents have been received  TE" of this communication to file  DNMENT of this application.  ubmitted. Note the attached EX  gives reason(s) why the oath of  must be submitted.  sperson's Patent Drawing Review  iner's Amendment / Comment of  FR 1.84(c)) should be written on the	on No  d in this national stage applic  a reply complying with the re  AMINER'S AMENDMENT or  r declaration is deficient.  w ( PTO-948) attached  r in the Office action of	equirements NOTICE OF
each sheet. Replacement sheet(s) should be labeled as such 7.   DEPOSIT OF and/or INFORMATION about the cattached Examiner's comment regarding REQUIREME	in the header according to 37 Ci lenosit of BIOLOGICAL MAT	ERIAL must be submitted	
attached Examiner's comment regarding NEQUINEMI			
Attachment(s)	5. ☐ Notice of Ir	nformal Patent Application (P	TO-152)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-9)</li> </ol>	948) 6. 🗌 Interview S	Summary (PTO-413),	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO	_ Paper No.	/Mail Date s Amendment/Comment	
Paper No./Mail Date 6/22/04 4. Examiner's Comment Regarding Requirement for Depo	osit 8. 🗌 Examiner's	s Statement of Reasons for A	llowance
of Biological Material	9. 🗌 Other	- TiMa	inel
		Timothy L Maust Primary Examine Art Unit: 3751	

Application/Control Number: 10/026,316

Art Unit: 3751

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald M. Cislo on 6/22/04.

The application has been amended as follows:

In regard to claim 23 (patent claim 23),

On line 8: Delete the period and add the following; --; and a hinged flap coupled to said pull-away member, said hinged flap susceptible to air blown from a fan, said hinged flap being biased toward a first closed position while said fan is off and biased toward a second open position while said fan is on; whereby said pull-away member is mounted on said hinged flap in such a way that said pull-away member may contact liquid bubble solution in the channel while said hinged flap is in said first closed position. - -

## Cancel claim 24.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L Maust whose telephone number is (703) 308-3390. The examiner can normally be reached on Tue. - Fri. 6:30 - 5:00.

Art Unit: 3751

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (703) 308-2580. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Maust Primary Examiner Art Unit 3751

Tlm 6/22/04